



SHOWER TECHNOLOGY 2021

Foshan Dabbl Sanitary Ware Co. , Ltd

Add: NO. 14, Xingjiao Road, Sanzhou Hecheng, Gaoming District,

Foshan City, Guangdong, China

Post: 528511

Tel: 0757 88629686 88629691

Fax: 0757 8862 9695

E-mail: wang@dabbl.de


www.dabbl.de www.dabbl.com

DABBL®
ART NOURISH THE SOUL



A grayscale photograph of a person's hand holding a pen, poised to write on a document. The hand is wearing a light-colored long-sleeved shirt. In the foreground, a pair of glasses and a dark mug are visible on a desk. The background is a plain, light-colored wall.

Dabbl is one of the world's high-end art shower enclosure manufacturers. It was founded in 2004, focusing on the shower enclosure customization for 18 years. It has international advanced standard workshops and test points, professional design and development team, and the quality is in accordance with ISO9001 international standard, European EN4428:2015 certification. Standardized production process, advanced production process and strict quality control system make our products sell well in many countries and regions around the world, with domestic sales outlets all over the country, serving more than 5 million families up to now. Dabbl people win the trust of partners with the business philosophy of integrity, efficiency and win-win. Products with art, professional craftsman quality get the approval of customers.



Dabbl shower products have strict production process and multiple quality testing, and successively obtained the “CE EU certification” , a number of design and utility model patent certificates and invention patents, “Guangdong Private Technology Enterprise Certification” , “Guangdong High-Tech Enterprise” , “Foshan Gaoming Functional Bathroom Engineering Research and Development Center” and other certificates.

CONTENTS

01 **HZ** SERIES
HINGE DOOR

05 **DX2** SERIES
HINGE DOOR

09 **DQ2** SERIES
HINGE DOOR

13 **ED** SERIES
HINGE DOOR

15 **DHP** SERIES
HINGE DOOR

19 **DXC** SERIES
HINGE DOOR

23 **SP** SERIES
SLIDING DOOR

27 **SK** SERIES
SLIDING DOOR

31 **SN** SERIES
SLIDING DOOR

35 **DX** SERIES
HINGE DOOR

39 **DY** SERIES
HINGE DOOR

43 **EC** SERIES
SLIDING DOOR

47 **SA** SERIES
SLIDING DOOR

51 **DCB** SERIES
PIVOT DOOR

53 **DSM** SERIES
PIVOT DOOR

59 **DS** SERIES
HINGE DOOR

61 **D9** SERIES
SLIDING DOOR

63 **DCM** SERIES
SLIDING DOOR

67 **DF** SERIES
BIFOLD SLIDING DOOR

69 **DL** SERIES
SLIDING DOOR

73 **EK** SERIES
BATHTUB HINGE DOOR

75 **D2** SERIES
PIVOT DOOR

81 **D8** SERIES
WALK IN DOOR

87 **WA** SERIES
WALK IN DOOR



HZ-H831

Size:(985-1000)x(785-800)x2000mm

Door Access:600mm

- 8mm tempered glass to EN 12150
- Easy clean glass available
- Single horn hole zinc alloy hinge
- Zinc alloy handle 020A
- Aluminum top bar & glass clamp
- 0-15mm adjustment per side



HZ-H721

Size:(1000-1025)x2000mm

Door Access:600mm

- 8mm tempered glass to EN12150
- Easy clean glass available
- Single horn hole zinc alloy hinge
- Zinc alloy handle 020A
- Aluminum top bar & glass clamp
- 0-15mm adjustment of upright profile
- 0-10mm adjustment of magnetic profile





DX2-H831

Size:(985-1000)x(785-800)x2000mm

Door Access:600mm

- 8mm tempered glass to EN 12150
- Easy clean glass available
- Inner flat single horn hole zinc alloy hinge
- Up and down lifting structure of hinge
- Zinc alloy handle F012
- Aluminum top bar & zinc alloy glass clamp
- 0-15mm adjustment per side



DX2-H721

Size:(1000-1025)x2000mm

Door Access:600mm



- 8mm tempered glass to EN 12150
- Easy clean glass available
- Inner flat single horn hole zinc alloy hinge
- Up and down lifting structure of hinge
- Zinc alloy handle F012
- Aluminum top bar & zinc alloy glass clamp
- 0-15mm adjustment of upright profile
- 0-10mm adjustment of magnetic profile





DQ2-H831

Size:(985-1000)x(785-800)x2000mm

Door Access:600mm

- 8mm tempered glass to EN 12150
- Easy clean glass available
- Inner flat single horn hole zinc alloy hinge
 - Up and down lifting structure of hinge
- Zinc alloy handle F07
- Stainless steel support bar & zinc alloy glass clamp
- 0-15mm adjustment per side

DQ2-H721

Size:(1000-1025)x2000mm

Door Access:600mm

- 8mm tempered glass to EN 12150
- Easy clean glass available
- Inner flat single horn hole zinc alloy hinge
- Up and down lifting structure of hinge
- Zinc alloy handle F07
- Stainless steel support bar & zinc alloy glass clamp
- 0-15mm adjustment of upright profile
- 0-10mm adjustment of magnetic profile



ED-H831

Size:(1190-1205)*(790-805)*1950

Door Access: 650 mm



- 6/8mm tempered glass to EN12150
- Easy clean glass available
- Stainless steel top bar
- Zinc alloy handle
- Zinc alloy hinge can open 180 degree inside and outside
- 0-20mm adjustment per side





DHP821

Size:(1185-1200)x(785-800)x1950mm

Door Access:650mm

- 6/8mm tempered glass to EN 12150
- Easy clean glass available
- Plastic handle F10
- 0-15mm adjustment per side
- Stainless steel support bar
- lift and flat structure, easy to clean



PHP153R

Size:(1185-1215)x1950mm

Door Access:650mm

- 6/8mm tempered glass to EN 12150
- Easy clean glass available
- Plastic handle F10
- 0-15mm adjustment per side
- Stainless steel support bar
- lift and flat structure, easy to clean



DXC821

Size:(1190-1205)x(790-805)x1950mm

Door Access:650mm

- 8mm tempered glass to EN 12150
- Easy clean glass available
- Stainless steel support bar
- Flat hinge with single hole
- Zinc alloy handle F07
- 0-15mm adjustment per side





PXC153R

Size:(885-915)x1950mm

Door Access:550mm

- 8mm tempered glass to EN 12150
- Easy clean glass available
- Stainless steel support bar
- Flat hinge with single hole
- Zinc alloy handle F07
- 0-15mm adjustment per side



SP-C831

Size:(1190-1195)x(790-795)x2000mm

Door Access:480mm

- 8mm tempered glass to EN12150
- Easy clean glass available
- 0-5mm adjustment per side
- Zinc alloy handle 120-1
- Top bar structure





SP-C721

Size:(1190-1195)x1950mm

Door Access:480mm

- 8mm tempered glass to EN12150
- Easy clean glass available
- 0-5mm adjustment per side
- Zinc alloy handle 120-1
- Top bar structure

SK-C831

Size:(1190-1195)x(790-795)x1950mm
Door Access:495mm

- 8mm tempered glass to EN12150
- Easy clean glass available
- Pully door without bottom guide
- Bottom spring waterproof structure
- Double softing closing structure
- 0-5 mm adjustment per side
- Zinc alloy handle 145-2





SK-C721

Size:(1190-1195)x1950mm

Door Access:495mm

- 8mm tempered glass to EN12150
- Easy clean glass available
- Pully door without bottom guide
- Bottom spring waterproof structure
- Double softing closing structure
- 0-5 mm adjustment per side
- Zinc alloy handle 145-2



SN-C721

Size:(1190-1195)x1950mm

Door Access:495mm



- 8mm tempered glass to EN12150
- Easy clean glass available
- 0-5 mm adjustment per side
- Zinc alloy handle 145-2
- Buffer structure



SN-C831

Size:(1190-1195)x(790-795)x1950mm

Door Access:495mm

- 8mm tempered glass to EN12150
- Easy clean glass available
- 0-5 mm adjustment per side
- Zinc alloy handle 145-2
- Buffer structure



DX391L

Size:(885-910)*(885-910)*1950mm

Door access:620mm

- 6/8mm tempered glass to EN 12150
- Easy clean glass available
- Inner side of hinge is flat ,easy to clean
- Zinc alloy handle B09
- 0-25mm adjustment per side



DX-691L

Size:(885-910)*(885-910)*1950mm

Door access:550mm

- 6/8mm tempered glass to EN 12150
- Easy clean glass available
- Inner side of hinge is flat ,easy to clean
- Zinc alloy handle B09
- 0-25mm adjustment per side



DY-391L

Size: (890-905)X (890-905)mm

Door Access: 600mm

- 6/8mm tempered glass to EN 12150
- Easy clean glass available
- Inner side of hinge is flat, eas to clean
- High transparent seal , suqare breakwater profile
- Zinc alloy hindel F07
- 0-15mm adjustment per side



PY153L

Size: (800-830)X1950mm

Door Access: 500mm

- 6/8mm tempered glass to EN 12150
- Easy clean glass available
- Inner side of hinge is flat ,easy to clean
- High transparent seal , square breakwater profile
- Zinc alloy handle F07
- 0-15mm adjustment per side



EC-C342

Size:890*890*2000

Door Access:520mm

- 4/5/6mm tempered glass to EN12150
- Easy clean glass available
- Chrome profile width 26mm, Guide rail width 30mm
- Plastic & ABS electroplating handle
- Top and bottom rollers: nylon + plastic



EC-C842

Size:890*890*2000

Door Access:500mm

- 4/5/6mm tempered glass to EN12150
- Easy clean glass available
- Chrome profile width 26mm, Guide rail width 30mm
- Plastic & ABS electroplating handle
- Top and bottom rollers: nylon + plastic

DSA821

Size:(1190-1205)x(790-805)x1950mm

Door Access:500mm

- 6/8mm tempered glass to EN 12150
- Easy clean glass available
- Stainless steel roller
- Zinc alloy handle 145-2
- 0-15mm adjustment per side
- Can be left and right opening





PSA153

Size:(990-1020)x1950mm

Door Access:410mm

- 6/8mm tempered glass to EN 12150
- Easy clean glass available
- Stainless steel roller
- Zinc alloy handle 145-2
- 0-15mm adjustment per side
- Can be left and right opening





DCB392

Size:(880-900)x(880-900)x1950mm

Door Access:530mm

- 6mm tempered glass to EN 12150
- Easy clean glass available
- Zinc alloy roller is quiet,smooth and stable
- Zinc alloy handle F02
- 0-20mm adjustment per side
- Reversible



PCB155

Size:(1180-1220)x1950mm

Door Access:485mm

- 6mm tempered glass to EN 12150
- Easy clean glass available
- Zinc alloy roller is quiet,smooth and stable
- Zinc alloy handle F02
- 0-20mm adjustment per side
- Reversible



DSM821

Size:(1190-1210)x(790-810)x19500mm

Door Access:480mm

- 6/8mm tempered glass to EN12150
- Easy clean glass available
- Stainless steel double hidden roller is quiet,smooth and stable
- 0-20mm adjustment per side
- Zinc alloy handle 145-2
- Can be left and right opening




PSM153

Size:(980-1020)x1950mm

Door Access:410mm

- 6/8mm tempered glass to EN12150
- Easy clean glass available
- Stainless steel double hidden roller is quiet,smooth and stable
- 0-20mm adjustment per side
- Zinc alloy handle 145-2
- Can be left and right opening






PS153EL

Size:(1180-1215)X1950mm

Door access: 500mm

- 6/8mm tempered glass to EN12150
- Easy clean glass available
- Unique three wheel is very quiet, smooth and stable
- Stainless steel handle 450-15
- 0-20mm adjustment of upright profile
- 0-15mm adjustment of magnetic profile
- Can be left and right opening





DS392E

Size:(890-910)X(890-910)X1950mm

Door access: 480mm

- 6/8mm tempered glass to EN12150
- Easy clean glass available
- Unique three wheel is very quiet, smooth and stable
- Stainless steel handle 450-15
- 0-20mm adjustment of upright profile
- 0-15mm adjustment of magnetic profile
- Can be left and right opening





D9821B

Size:(1190-1210)x(790-810)x1950mm

Door Access:480mm

- 6/8mm tempered glass to EN 12150
- Easy clean glass available
- Big roller is very quiet, smooth and stable
- Stainless steel handle 350B
- 0-20mm adjustment per side
- Can be left and right opening



P9153B

Size:(1180-1210)x1950mm

Door Access:480mm

- 6/8mm tempered glass to EN 12150
- Easy clean glass available
- Big roller is very quiet, smooth and stable
- Stainless steel handle 350B
- 0-15mm adjustment of upright profile
- 0-10mm adjustment of magnetic profile
- Can be left and right opening

DCM821

Size:(1190-1205)x(790-805)x1950mm

Door Access:485mm

- 8mm tempered glass to EN12150
- Easy clean glass available
- Whole stainless steel roller is flat with glass,easy to clean
- Aluminum magnetic strip
- Zinc alloy handle 203-1
- 0-15mm adjustment per side
- Reversible





PCM155

Size:(1190-1220)x1950mm

Door Access:485mm

- 8mm tempered glass to EN12150
- Easy clean glass available
- Whole stainless steel roller is flat with glass,easy to clean
- Aluminum magnetic strip
- Zinc alloy handle 203-1
- 0-15mm adjustment per side
- Reversible



PF154

Size:(790-820)

- 6mm tempered glass to EN12150
- Easy clean glass available
- Double wheel is very quiet,smooth and stable
- 0-15mm adjustment per side
- Reversible



DL392

Size:(890-910)x(890-910)X1950mm

Door Access:520mm

- 6/8mm tempered glass to EN12150
- Easy clean glass available
- Double wheel is very quiet ,smooth and stable
- Zinc alloy handle 160B
- 0-20mm adjustment per side
- Reversible





PL154D

Size:(780-820)X1950mm

Door Access:660mm

- 4mm tempered glass to EN12150
- Easy clean glass available
- Double wheel is very quiet ,smooth and stable
- 0-20mm adjustment per side
- Reversible



EK-P721

Size: (990-1010)*1450

- 5/6mm tempered glass to EN12150
- Easy clean glass available
- Aluminum support bar
- zinc alloy hinge can open 180 degree outside
- 0-20mm adjustment per side



P2151B

Size:(680-720)x1950mm

- 6mm tempered glass to EN 12150
- Easy clean glass available
- Pivot door
- Zinc alloy handle B02
- 0-25mm adjustment of upright profile
- 0-15mm adjustment of magnetic profile
- Reversible





P2152F

Size:(1190-1215)x1450mm


- 6mm tempered glass to EN 12150
- Easy clean glass available
- Pivot &Hinge door
- 0-25mm adjustment per side
- Reversible



P2153E

Size:(790-815)x1450mm

- 6mm tempered glass to EN 12150
- Easy clean glass available
- Pivot &Hinge door
- 0-25mm adjustment per side
- Reversible



P2153E

Size:(790-815)x1450mm

- 6mm tempered glass to EN 12150
- Easy clean glass available
- Pivot door
- 0-25mm adjustment per side



D2691B

Size:(890-915)x(890-915)x1950mm

Door Access:800mm

- 6/8mm tempered glass to EN 12150
- Easy clean glass available
- Pivot door
- Zinc alloy handle B02
- 0-25mm adjustment per side
- Reversible



P2153B

Size:(1180-1220)x1950mm

Door Access:600mm

- 6mm tempered glass to EN 12150
- Easy clean glass available
- Pivot door
- Zinc alloy handle B02
- 0-25mm adjustment of upright profile
- 0-15mm adjustment of magnetic profile
- Reversible



P8150

Size:(700-705)*1950mm

- 6/8/10mm tempered glass to EN 12150
- Easy clean glass available
- Stainless steel support bar
- 0-5mm adjustment per side
- Reversible



P8150B

Size:700*1950mm

- 6/8/10mm tempered glass to EN 12150
- Easy clean glass available
- Stainless steel support bar
- Reversible



WA-M710-21LK

Size:(900-905)x1950mm

- Walking in door
- black slik-screen frame
- 8/10mm tempered glass to EN12150
- Easy clean glass available
- 0-5mm adjustment per side
- left and right opening
- 10*25mm top bar , glass clamp all use aluminum





WA-M710-22LG

Size:900x1950mm

- Walking in door
- black slik-screen
- 8/10mm tempered glass to EN12150
- Easy clean glass available
- Lstyle support bar , 10*25mm top bar , glass clamp all use aluminum
- reversible



HANDLES



Zinc alloy
handle F012



Zinc alloy
handle 020A



Zinc alloy
handle E1-013



Stainless steel
handle 450



Stainless steel
handle 350B



Stainless steel
handle 350C



Stainless steel
handle 203B



Zinc alloy
handle 203N



Zinc alloy
handle 160B



Zinc alloy
handle 802



Zinc alloy
handle 809



Zinc alloy
handle F02



Zinc alloy
handle F07



Zinc alloy
handle 033

HINGE



H-028



H-029



H-030



H-031



H-033



H-002



H-003



H-005



H-009



H-013



H-014



H-015



H-016



H-017



H-020



H-021



H-017

GLASS



Pattern glass P06002



Pear glass



Millennium grid glass



Frost glass



Tea glass



Gray glass

CHASSIS



A390E
Size: 900x900x70mm



A690E
Size: 900x900x70mm



A820E
Size: 1200x800x70mm



A190
Size: 900x900x150mm



A290
Size: 900x900x150mm



A390
Size: 900x900x150mm